

LET THE SUN SHINE IN



Only the "Original" Sunshine Door comes with extra aluminum structure for strength, rubber gasket seals, and continuous polycarbonate glazing the full width of the door. Talk to your door dealer to ensure that they are supplying the one and only, the real, the "ORIGINAL" Sunshine Door.

sunshinedoor.com

MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™

AGRICULTURAL BUILDINGS



Superior Strength & Performance.

The Most Natural Light.

Sizes that are large enough for even your biggest farm equipment.



MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™

www.sunshinedoor.com

COMMERCIAL INDUSTRIAL INSTITUTIONAL



by the MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™

www.sunshinedoor.com

CAR WASH DOORS



SUPERIOR STRENGTH. SUPERIOR PERFORMANCE




FAST SHIPPING FOR EMERGENCY REPAIRS



by the MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™
www.sunshinedoor.com

CAR WASH DOORS



Sunshine Car Wash Doors are available with many options, including track cut out, bottom aluminum exterior panel, single pane clear acrylic, clear view wide port acrylic, and of course a selection of 8 colours of triple wall 5/8" thick polycarbonate. Sunshine Car Wash Doors are 1/3 the weight of glass, 140 times stronger than glass, and let in up to 80% of the natural sunlight. Each door is manufactured with anodized aluminum extrusion, engineered with an integral truss in each section for added strength and durability. All Sunshine Doors have rubber weather stripping between each of the sections, and thermal transfer between the exterior aluminum face and the glazing is addressed by sealing with a compression sealed rubber glazing wedge. Reduce the risk of freeze up, improve durability, keep rust away, with the original Sunshine Door, Built Tough.

by the MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™
www.sunshinedoor.com

EMERGENCY SERVICES



Capable of High Cycle Usage
Can be used with Mid-High Speed Operators
Triple Wall for Better Insulation than a glass door

1/3 the Weight of Glass
140 times Stronger than Glass
Up to 80% Visible Light Transmittance



by the MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™
www.sunshinedoor.com


EMERGENCY SERVICES



Standard Frame Colour
Clear Anodized Aluminum.



Optional Frame Colour
Black Anodized Aluminum.



Continuous 5/8" Triple Wall Polycarbonate
Glazing Colors



Clear



Blue



Blackberry



Bronze




White



Silver/Grey



Green



Red

Available with optional
COMMERCIAL GRADE
INTERNAL STRUCTURAL REINFORCING



by the MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™

www.sunshinedoor.com

CLEAR VIEW WIDE PORT ACRYLIC



VISUAL CLARITY
IMPACT RESISTANT
91% VISIBLE LIGHT TRANSMITTANCE
DUAL PANE ENERGY PERFORMANCE
COMMERCIAL GRADE



MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™

www.sunshinedoor.com

CLEAR VIEW WIDE PORT ACRYLIC



VISUAL CLARITY

- Optically Clear, UV Resistant, and a No Drip anti-condensate coating on all surfaces, inside & out.

IMPACT RESISTANT

- Acrylic polymethyl methacrylate polymer is more than 17 times stronger than glass with impact resistance making it the preferred choice for professional sports arenas.

SOUND DAMPENING

- Dual Wall Clear View Wide Port Acrylic Weighted Sound Reduction Index at 22 dB.

STRUCTURAL STABILITY

- Dual Wall Clear View Wide Port Acrylic has interconnecting walls every 2.5" to enhance structural rigidity.

LIGHT WEIGHT

- Clear View Wide Port Acrylic weighs less than 1 lb/sqft, which is a fraction of the weight of glass.

SECURE

- The Non-shattering characteristics are further enhanced and strengthened by the multi-rib structure. 17 times stronger than glass multiplied by multiple walls and ribs. Safe for people & there are easier ways to break in.

91% VISIBLE LIGHT TRANSMITTANCE

- Clear View Wide Port Acrylic provides the maximum amount of natural daylighting.

DUAL PANE ENERGY PERFORMANCE

- Clear View Wide Port Acrylic is more than 50% better than R0.9 single layer glazing and at U-0.49 (R2.04) is better than a dual pane sealed unit of glass rated at only R1.72 with a 0.25" airspace as typical for similar applications.

ENVIRONMENTALLY FRIENDLY

- Clear View Wide Port Acrylic is 100% RECYCLABLE, and all manufacturing cut offs are recycled by Sunshine Door.

COMMERCIAL GRADE

- Clear View Wide Port Acrylic has been designed for commercial & institutional use.

FIRE BEHAVIOR

- Clear View Wide Port Acrylic is rated at C2 or CC2 according to ASTM D-635. It burns almost entirely without smoke according to DIN4102 and ASTM D-2843 and is easily extinguished. The ASTM D-1929 self ignition temperature is very high at 840degrees F, with a smoke density rating of 2.0%, being neither acutely toxic according to DIN53436 nor corrosive according to DIN VDE 0482-267. **CLEAR VIEW WIDE PORT ACRYLIC IS SAFE.**



VISUAL CLARITY

IMPACT RESISTANT

LIGHT WEIGHT

SECURE

91% VISIBLE LIGHT TRANSMITTANCE

DUAL PANE ENERGY PERFORMANCE

COMMERCIAL GRADE

MANUFACTURED IN CANADA

by the **MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™**
www.sunshinedoor.com

SunView FULL VIEW GLASS DOORS



The **SunView4517** is modeled after the architecturally preferred design of the "Original" Sunshine Door.

The modern contemporary exterior face is flat and smooth unlike anything we've seen before in a glazed door.

The interior does not have any add on glazing stops, which enhances the crisp rich interior, while providing unparalleled strength and security. Tamper resistant, the glass can not come loose or fall out due to this superior design element, making this an ideal glazed door for restaurants, high end auto dealerships, or residences for the discerning client.

Available with optional structural steel internal reinforcing for a pure clean look, as should be expected of a door like this.



DUAL PANE
•
TEMPERED GLASS
Inside & Outside
•
CONTEMPORARY
DESIGN
•
STRUCTURAL
INTEGRITY
•
COMMERCIAL GRADE



by the **MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™**

www.sunshinedoor.com

SunView FULL VIEW GLASS DOORS




The SunView Door is available in a selection of glazing options, aluminum colours, and size configurations.

Standard Frame Colour
Clear Anodized Aluminum.




Optional Frame Colour
Black Anodized Aluminum.



Dual Pane Tempered Glass is the SunView Standard for quality and performance. Options include:

Dual Pane

- Clear
- Satin Etched
- Bronze
- Grey




Single Pane


- Tempered
- Laminated
- Acrylic




Typical Glazing Configurations...
Custom Stile Placement available



8' - 9' & 10' Wide



12' Wide Door



14' & 16' Wide Door

Please consult with your local dealer for sizes and configurations other than what is shown here.

The SunView4517

Modern Exterior View &
The Cleanest Looking Interior of any
Glass Door on the market with standard
continuous one piece aluminum interior
glazing wall and optional
**COMMERCIAL GRADE
INTERNAL STRUCTURAL
REINFORCING CHANNEL**



The SunView-505 Traditional is shown below, with inset glazing and interior pvc glazing stops.



by the MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™

www.sunshinedoor.com

SPEED OF LIGHT DOOR



- Up to 32" per second operation speed
- High Speed VFD Operator with Soft Start Stop
- 12" Sections = Smoother around the curve
- Continuous Barrel Hinge
(No secondary hinges required)
- Dual Weather Strip between the sections
- 5ft Safety Light Curtain
- Capable of High Cycle Usage
- Can be used with High Speed Operators



by the MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™
www.sunshinedoor.com

SPEED OF LIGHT DOOR



Mid-High Operation Speed

Regular Track

Continuous Barrel Hinge for a clean look and less components

Pinch Resistant Panels for Safety

High Cycle Capability

Minimal Service Requirements

Lower Costs of Service and Maintenance



by the MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™

www.sunshinedoor.com



The "Original" Sunshine Door Features Include:

- One piece 5/8" polycarbonate for greater strength
- 140 time stronger than glass
- 1/3 the weight of glass
- Sunshine Doors allow up to 82% of natural light in
- Triple Wall Polycarbonate for triple the performance
- Gasket sealed for life long weather resistance
- Extra walls of aluminum structure for a stronger door.

*"Would you like a Row of **SUNSHINE** in that door?"*

Sunshine Intermediate Sections are:

- ✓ **Lighter** than glass
- ✓ **Stronger** than glass
- ✓ **Better** Insulating than glass
- ✓ Let in **More Light** than windows



*Brighten Your Day,
"Let the Sun Shine In!"*

MANUFACTURER OF THE "ORIGINAL" SUNSHINE DOOR™
www.sunshinedoor.com

Modern | Contemporary | Premium



The Original . . . Sunshine Door, featuring . . .

Triple Wall Polycarbonate

140 times Stronger than glass.

Triple Wall for Triple the Energy Efficiency

One Piece Polycarbonate the Full Width of your garage door for the best in structure and thermal performance.

Strong Extruded Aluminum Framework.

Integral Reinforcing Truss inside for Structural Integrity.

Let The Sun Shine In with Up to 82% Visible Light.



Premium & Wood Grain Panels




Sunshine Door Premium Face Panels utilize the same light weight strength of 5/8" triple wall polycarbonate in the structure of the door sections.

Choose from; Round or Rectangular Perforated Anodized Aluminum, Stainless Steel, Wood Grain, FauxFinnish Aged Copper, and more. Available with Clear or Colored Polycarbonate Backing.

Premium Face Panels are limited to 10ft widths between exterior vertical stiles.

Modern Wood Grain



*Actual colors may vary.
Dark colors are not recommended for direct sun exposure.
Color samples shown here are for face panel inserts only.*



Featuring the same light weight strength of triple wall polycarbonate in the structure of the door.

Now with Modern Contemporary EnviroWood & Premium exterior face panels.

Available with continuous exterior panel the full width of the door, (subject to limitations) or with intermediate vertical stiles to suit your design.

Some finishes, including Perforated & Stainless Steel widths are subject to limitations.

Exterior face panels are finished with EnviroWood PVDF Printed Coatings to ASTM standards.

Clear & Black Anodized face panels are heavy gauge sheet aluminum. All exterior face panels are over our standard 5/8" triple wall polycarbonate, thus providing the same structure and triple wall performance of our respected quality "Original" Sunshine Doors.

The panel view on the inside of the door is polycarbonate. (Call for Lead time & availability).

Sunshine Residential



With the Sunshine Door, the Choices are Yours; . . .

Choose your frame color from Clear Anodized, Black Anodized, or White Painted Aluminum.


Or select a custom color from the colors shown in this brochure.

Polycarbonate Glazing is available in Translucent Clear, Bronze, Blackberry, Blue, Green & also Opaque White, and Silver solid.


Also available, Clear View Dual Wall Wide Port Acrylic & SunView Tempered Glass.



Standard Glazing Colors—Triple Wall 5/8" Polycarbonate



Clear Blue Blackberry Bronze



White Silver Grey Green Red




In Stock Aluminum Colors



Clear Anodized Black Anodized White Painted


Optional Powder Coat Colors



Powder coat colors subject to extended lead times & extra charge.



The Original
SUNSHINE DOOR™



Sunshine Doors were developed as commercial industrial doors. Now as the strength, durability, natural lighting benefits, and design flexibility is realized by so many, the popularity continues to grow across all markets.

More information and customization available.

Distributed by:

Manufactured in CANADA, Red Deer, Alberta
 Phone: 403.356.9472
www.SunshineDoor.com

In Stock Aluminum Colors



Clear Anodized Black Anodized (optional) White Painted

Clear Blue Blackberry Bronze White Silver/Grey Green Red